

Wikipedia is a free online encyclopedia that allows its users to edit almost any article. Wikipedia is the largest and most popular general reference work on the Internet and is ranked among the ten most popular websites. Wikipedia is owned by the nonprofit Wikimedia Foundation.

Before You Begin

 **Note:** Before proceeding with this HFED guide, look to see if a SAML guide is available.

- Acquire an administrator account to RSA Via Access.
- Verify the RSA Via Access user account.
- Configure DNS canonical names (CNAMEs), or aliases for the protected hostnames to the identity router. For example:
 - appname.sso.example.com is a CNAME to portal.sso.example.com
 - appname-resources.sso.example.com is a CNAME to portal.sso.example.com

 **Note:** Using a wildcard CNAME you can quickly add HFED application-protected hostnames without creating individual DNS entries.

For example: *.sso.example.com is a CNAME to portal.sso.example.com

- Acquire an account to Wikipedia.


Procedure

1. [Add the Application in RSA Via Access](#)
2. [Configure Wikipedia to Use RSA Via Access as an Identity Provider](#)


Add the Application in RSA Via Access

Procedure

1. In the RSA Via Access Administration Console, click **Applications > Application Catalog**.



- From the list of applications, locate the **Wikipedia HTTP Federation Proxy** and click **+Add**.



- On the Basic Information page, specify the application name and click **Next Step**.
- On the Branded settings page, verify the **Logon Form URL**.
- Click on **Next Step** (Next page may take some time to appear since there so many servers included on this page).

RSA Via Access gslabs-04

Dashboard Users Access Applications Platform

Wikipedia Cancel Next Step →

Edit Connection
Type: Wikipedia

1. Basic Information

2. Branded Settings >

3. User Access

4. Portal Display

All fields are required (except where noted)

Branded Settings

Logon Form URL ?

Pass Attributes Pass Headers Verify Certificates

Web Servers

Protocol	Proxy Hostname	Real Hostname		
ANY	lij-wikipedia-org.sso4.pe-lab.com	lij.wikipedia.org		
ANY	os-wikipedia-org.sso4.pe-lab.com	os.wikipedia.org		
ANY	fi-wikipedia-org.sso4.pe-lab.com	fi.wikipedia.org		
ANY	ff-wikipedia-org.sso4.pe-lab.com	ff.wikipedia.org		
ANY	pnt-wikipedia-org.sso4.pe-lab.com	pnt.wikipedia.org		
ANY	eu-wikipedia-org.sso4.pe-lab.com	eu.wikipedia.org		
ANY	pms-wikipedia-org.sso4.pe-lab.com	pms.wikipedia.org		
ANY	su-wikipedia-org.sso4.pe-lab.com	su.wikipedia.org		
ANY	vep-wikipedia-org.sso4.pe-lab.com	vep.wikipedia.org		
ANY	sc-wikipedia-org.sso4.pe-lab.com	sc.wikipedia.org		
ANY	wikimediafoundation-org.sso4.pe-lab.com	wikimediafoundation.org		
ANY	ks-wikipedia-org.sso4.pe-lab.com	ks.wikipedia.org		
ANY	mk-wikipedia-org.sso4.pe-lab.com	mk.wikipedia.org		
ANY	sv-wikipedia-org.sso4.pe-lab.com	sv.wikipedia.org		
ANY	glk-wikipedia-org.sso4.pe-lab.com	glk.wikipedia.org		
ANY	scn-wikipedia-org.sso4.pe-lab.com	scn.wikipedia.org		
ANY	dsb-wikipedia-org.sso4.pe-lab.com	dsb.wikipedia.org		
ANY	te-wikipedia-org.sso4.pe-lab.com	te.wikipedia.org		


- On the User Access page, choose **Allow All Authenticated Users**. Click on **Next Step**.

The screenshot shows the 'Access Policy' configuration page for a Wikipedia application. The page is part of the RSA Via Access interface, with a navigation bar at the top containing 'Dashboard', 'Users', 'Access', 'Applications', and 'Platform'. The 'Applications' tab is active, and the application name 'Wikipedia' is displayed. On the left, a sidebar shows the configuration steps: '1. Basic Information', '2. Branded Settings', '3. User Access', and '4. Portal Display'. The main content area is titled 'Access Policy' and includes the instruction 'Select the access policy to determine which users are allowed to access the application.' There are two radio button options: 'Allow All Authenticated Users' (which is selected) and 'Select Custom Policy'. Below these is a dropdown menu currently set to 'No Access Allowed'. At the bottom right, there are 'Cancel' and 'Next Step' buttons.

- On the Portal Display page, check **Display in Portal** checkbox.
- If you want to allow users to change the credentials after configuring connector, then check **Allow Users to Change Credentials**.

The screenshot shows the 'Portal Display' configuration page for the same Wikipedia application. The navigation bar and sidebar are consistent with the previous page. The main content area is titled 'Portal Display' and includes the instruction 'Specify how the application appears in the application portal.' There is a checked checkbox for 'Display in Portal'. Below this is the 'Application Icon' section, which shows a globe icon and a 'Change Icon' button. A note specifies: 'Image file must be JPG or PNG format, and no larger than 50 KB. The recommended size is 75x75 pixels.' The 'Application Tooltip' field contains the text 'Wikipedia'. The 'Portal URL' field contains the text 'https://en-wikipedia-org.sso4.pe-lab.com/wiki/Special:Preferences'. At the bottom, there is a checked checkbox for 'Allow Users to Change Credentials'. At the bottom right, there are 'Cancel' and 'Save and Finish' buttons.

9. Click **Save and Finish**.
10. Click **Publish Changes**.

Publish Changes Status:  Changes Pending

Configure Wikipedia to Use RSA Via Access as an Identity Provider

There are no necessary Wikipedia-side configuration changes to enable integration with RSA Via Access.