

RSA Via L&G Connector Data Sheet for NetSuite



Table of Contents

Purpose	3
Supported Software	3
Prerequisites	3
Configuration	4
<i>General</i>	4
<i>Settings</i>	5
<i>Capabilities</i>	5
Command	5
Command Input Parameters	6
1. Create an account	6
2. Delete an account	8
3. Reset account's password	9
4. Enable an account	10
5. Disable an account	11
6. Update an account	11

Purpose

This data sheet provides the configuration information required to create a new connector.

Supported Software

RSA Via L&G Version 6.8.1, 6.9.1 and above.

Application: *NetSuite*

Prerequisites

None

Configuration

The Connector creation is made up of three sections:

General – General details about the Connector; viz. the name, type etc.

Settings – The connection settings required to connect the RSA-IMG and the End-point Application in consideration.

Capabilities – These are the list of “verbs” or capabilities that the RSA-IMG Connector supports; for e.g. “Create, Update, Delete, etc.”

General

The following table helps you with the Parameters asked on the “General” screen while creating the Connector.

Field Name	Value
<i>Name</i>	<i>NetSuite</i>
<i>Description</i>	<i>NetSuite Connector</i>
<i>Server</i>	<i>AFX Server</i>
<i>Connector Template</i>	<i>NetSuite</i>
<i>State</i>	<i>Active</i>
<i>Export As Template</i>	<i>N/A</i>

Note: When you are satisfied your connector is configured properly change the state to Active. No automated provisioning will occur while in the Test state. It is recommended that you test all enabled commands using the Test Connector Settings and Test Connector Capabilities prior to changing to the Active state.

Settings

The following table helps you with the Parameters asked on the “Settings” screen while creating the Connector.

Field Name	Value
<i>Username</i>	<i><NetSuite Admin email address></i>
<i>Password</i>	<i><NetSuite Admin password></i>
<i>Account</i>	<i><NetSuite Account Id></i>
<i>Role Id</i>	<i><NetSuite Administrator role id></i>
<i>Proxy Host</i>	<i><proxy host or IP if you are using proxy server to access internet></i>
<i>Proxy Port</i>	<i><proxy port or IP if you are using proxy server to access internet></i>
<i>Proxy Username</i>	<i><proxy username if you are using proxy server to access internet></i>
<i>Proxy Password</i>	<i><proxy password if you are using proxy server to access internet></i>

Note: Parameters Proxy Host, Proxy Port, Proxy Username, Proxy Password are needed only if connector needs to run through a proxy server.

Capabilities

The following table(s) helps you with the Parameters asked when enabling the commands (verbs) on the “Capabilities” screen; while creating the Connector.

Following commands are supported by NetSuite connector:

Command

The Following commands are supported by the NetSuite connector:

- Create an Account
- Delete an Account
- Disable Account
- Enable Account

- Reset Password
- Update Account

Command Input Parameters

1. Create an account

While defining the “Create an Account” verb, certain parameters need to be defined. The following tables will help you define these parameters. Each table is dedicated to one parameter.

Field Name	Value
<i>Parameter Name</i>	<i>Email</i>
<i>Type</i>	<i>String</i>
<i>Default Value</i>	<i>None.</i>
<i>Is the parameter required?</i>	<i>Yes</i>
<i>Is the parameter encrypted?</i>	<i>No</i>
<i>Display Name</i>	<i>NetSuite login email id</i>
<i>Mapping</i>	<i>\${User.Email_Address}</i>
<i>Description</i>	<i>NetSuite Email</i>

Field Name	Value
<i>Parameter Name</i>	<i>Password</i>
<i>Type</i>	<i>Password</i>
<i>Default Value</i>	<i>None.</i>

<i>Is the parameter required?</i>	Yes
<i>Is the parameter encrypted?</i>	Yes
<i>Display Name</i>	<i>NetSuite login password</i>
<i>Mapping</i>	<i>\${AccountTemplate.Password}</i>
<i>Description</i>	<i>NetSuite Password</i>

Field Name	Value
<i>Parameter Name</i>	<i>FirstName</i>
<i>Type</i>	<i>String</i>
<i>Default Value</i>	<i>None.</i>
<i>Is the parameter required?</i>	<i>No</i>
<i>Is the parameter encrypted?</i>	<i>No</i>
<i>Display Name</i>	<i>NetSuite first name</i>
<i>Mapping</i>	<i>\${User.First_Name}</i>
<i>Description</i>	<i>NetSuite FirstName</i>

Field Name	Value
<i>Parameter Name</i>	<i>LastName</i>
<i>Type</i>	<i>String</i>
<i>Default Value</i>	<i>None.</i>

<i>Is the parameter required?</i>	Yes
<i>Is the parameter encrypted?</i>	No
<i>Display Name</i>	NetSuite last name
<i>Mapping</i>	<code>\${User.Last_Name}</code>
<i>Description</i>	NetSuite LastName

Field Name	Value
<i>Parameter Name</i>	<i>InternalId</i>
<i>Type</i>	String
<i>Default Value</i>	None.
<i>Is the parameter required?</i>	Yes
<i>Is the parameter encrypted?</i>	No
<i>Display Name</i>	NetSuite role internal id
<i>Mapping</i>	<code>\${AccountTemplate.InternalId}</code>
<i>Description</i>	NetSuite InternalId

2. Delete an account

While defining the “delete an Account” verb, certain parameters need to be defined. The following tables will help you define these parameters. Each table is dedicated to one parameter.

Field Name	Value
<i>Parameter Name</i>	<i>Email</i>

Type	String
Default Value	None.
Is the parameter required?	Yes
Is the parameter encrypted?	No
Display Name	NetSuite login email
Mapping	<code>\${Account.Email}</code>
Parameter Name	NetSuite Email

3. Reset account's password

While defining the "Reset an Account's password" verb, certain parameters need to be defined. The following tables will help you define these parameters. Each table is dedicated to one parameter.

Field Name	Value
Parameter Name	Email
Type	String
Default Value	None.
Is the parameter required?	Yes
Is the parameter encrypted?	No
Display Name	NetSuite login email
Mapping	<code>\${Account.Email}</code>
Description	NetSuite Email

Field Name	Value
<i>Parameter Name</i>	<i>Password</i>
<i>Type</i>	<i>String</i>
<i>Default Value</i>	<i>None.</i>
<i>Is the parameter required?</i>	<i>Yes</i>
<i>Is the parameter encrypted?</i>	<i>Yes</i>
<i>Display Name</i>	<i>NetSuite login password</i>
<i>Mapping</i>	<i>\${AccountPassword}</i>
<i>Description</i>	<i>NetSuite Password</i>

4. Enable an account

While defining the “Enable an Account” verb, certain parameters need to be defined. The following tables will help you define these parameters. Each table is dedicated to one parameter.

Field Name	Value
<i>Parameter Name</i>	<i>Email</i>
<i>Type</i>	<i>String</i>
<i>Default Value</i>	<i>None.</i>
<i>Is the parameter required?</i>	<i>Yes</i>
<i>Is the parameter encrypted?</i>	<i>No</i>
<i>Display Name</i>	<i>NetSuite login email</i>

<i>Mapping</i>	<i>\${Account.Email}</i>
<i>Description</i>	<i>NetSuite Email</i>

5. Disable an account

While defining the “Disable an Account” verb, certain parameters need to be defined. The following tables will help you define these parameters. Each table is dedicated to one parameter.

Field Name	Value
<i>Parameter Name</i>	<i>Email</i>
<i>Type</i>	<i>String</i>
<i>Default Value</i>	<i>None.</i>
<i>Is the parameter required?</i>	<i>Yes</i>
<i>Is the parameter encrypted?</i>	<i>No</i>
<i>Display Name</i>	<i>NetSuite login email</i>
<i>Mapping</i>	<i>\${Account.Email}</i>
<i>Description</i>	<i>NetSuite Email</i>

6. Update an account

While defining the “Update an Account” verb, certain parameters need to be defined. The following tables will help you define these parameters. Each table is dedicated to one parameter.

Field Name	Value
<i>Parameter Name</i>	<i>Email</i>
<i>Type</i>	<i>String</i>

<i>Default Value</i>	<i>None.</i>
<i>Is the parameter required?</i>	<i>Yes</i>
<i>Is the parameter encrypted?</i>	<i>No</i>
<i>Display Name</i>	<i>NetSuite login email id</i>
<i>Mapping</i>	<i>\${User.Name}</i>
<i>Description</i>	<i>NetSuite Email</i>

Field Name	Value
<i>Parameter Name</i>	<i>FirstName</i>
<i>Type</i>	<i>String</i>
<i>Default Value</i>	<i>None.</i>
<i>Is the parameter required?</i>	<i>No</i>
<i>Is the parameter encrypted?</i>	<i>No</i>
<i>Display Name</i>	<i>NetSuite first name</i>
<i>Mapping</i>	<i>\${User.First_Name}</i>
<i>Description</i>	<i>NetSuite FirstName</i>

Field Name	Value
<i>Parameter Name</i>	<i>LastName</i>
<i>Type</i>	<i>String</i>

<i>Default Value</i>	<i>None.</i>
<i>Is the parameter required?</i>	<i>No</i>
<i>Is the parameter encrypted?</i>	<i>No</i>
<i>Display Name</i>	<i>NetSuite last name</i>
<i>Mapping</i>	<i>\${User.Last_Name}</i>
<i>Description</i>	<i>NetSuite LastName</i>

Field Name	Value
<i>Parameter Name</i>	<i>MiddleName</i>
<i>Type</i>	<i>String</i>
<i>Default Value</i>	<i>None.</i>
<i>Is the parameter required?</i>	<i>No</i>
<i>Is the parameter encrypted?</i>	<i>No</i>
<i>Display Name</i>	<i>NetSuite Middle Name</i>
<i>Mapping</i>	<i><Middle Name Attribute present for User></i>
<i>Description</i>	<i>NetSuite MiddleName</i>

Field Name	Value
<i>Parameter Name</i>	<i>Gender</i>

Type	String
Default Value	None.
Is the parameter required?	No
Is the parameter encrypted?	No
Display Name	NetSuite Gender
Mapping	<Gender Attribute present for User>
Description	NetSuite Gender

Copyrights

Copyright © 2015 EMC Corporation. All Rights Reserved. Published in the USA.

Trademarks

RSA, the RSA Logo, and EMC are either registered trademarks or trademarks of EMC Corporation in the United States and/or other countries. All other trademarks used herein are the property of their respective owners. For a list of EMC trademarks, go to www.rsa.com/legal/trademarks_list.pdf.